

Amendment After Final Rejection  
Serial No. 10/028,381

Docket No. US010662

**IN THE CLAIMS:**

Kindly replace the claims of record with the following full set of claims:

1. (Previously presented) A method for utilizing a data format preference of a device, comprising:
  - connecting a device to a network having a data repository;
  - sending a device format preference to said data repository in response to said connecting at a time the device is initially connected to the network, the device format preference including format information for needed data;
  - utilizing, at the network, the device format preference from the data repository in preparing data for transmission to said device; and
  - sending the prepared data to said device in the preferred data format.
2. (previously presented) The method of claim 1, further comprising saving the device format preference in the data repository.
3. (original) The method of claim 1, wherein the device format preference is sent with a device identifier.
4. (original) The method of claim 1, wherein the device format preference is saved with a network address of the device to be used as a device identifier by the data repository.

Amendment After Final Rejection  
Serial No. 10/028,381

Docket No. US010662

5. (Currently amended) A method for utilizing a data format preference of a device, comprising:

connecting a device to a network having a data repository;

sending a device format preference to said data repository when the device is connected to the network, the device format preference including format information for needed data;

utilizing, at the network, the device format preference from the data repository in preparing data for transmission to said device; and

sending the prepared [[needed]] data to said device, wherein the device connected to the network sends the device format preference each time it is connected to the network.

6. (previously presented) The method of claim 1, wherein the network is an automatic configuration network, so that any device connected thereto sends the device format preference upon initial connection to the network.

7. (previously presented) The method of claim 1, further comprising:  
sending a request for specific information by the device;  
extracting, by the data repository from data storage, specific information;  
retrieving the device format preference by the data repository using a device identifier;  
formatting the specific information according to the device format preference; and

Amendment After Final Rejection  
Serial No. 10/028,381

Docket No. US010662

sending the specific information over the network to the device from the data repository.

8. (previously presented) The method according to claim 7, wherein the device is an electronic device, and the request for the specific information and device format preference are embodied as one or more data packets.

9. (original) The method according to claim 7, wherein the data repository is an extensible Markup Language (XML) data repository.

10. (previously presented) The method according to claim 7 wherein the data repository includes an extensible Markup Language (XML) database in communication with an Extensible Stylesheet Language Transformation (XSLT) engine in communication with the network.

11. (previously presented) The method according to claim 7, wherein the request for information is in an Extensible Stylesheet Language (XSL) stylesheet.

12. (previously presented) The method according to claim 7, wherein the network is an In-Home Digital Network (IHDN).

13. (Previously presented) The method according to claim 7, wherein the device is any one of the group consisting of: a personal computer, personal digital

Amendment After Final Rejection  
Serial No. 10/028,381

Docket No. US010662

assistant, television, video cassette recorder, personal video recorder, remote control, and audio system; and

the specific information requested is electronic program guide information.

14. (Previously presented) A method for recognizing a preferred format of a device comprising:

connecting the device to an In-Home Digital Network (IHDN) network that has an extensible Markup Language (XML) data repository;

sending, in response to said connecting at a time the device is initially connected to the network or, by the device connected to the network the device format preference each time said device is connected to the network, an Extensible Stylesheet Language (XSL) stylesheet request for excerpted electronic programming guide (EPG) information, including a device format preference from the device, over the IHDN network to an Extensible Stylesheet Language Transformation (XSLT) engine in communication with the XML data repository; and

utilizing, on the network, said device format preference from the XML data repository in preparing data for transmission to said device; and

transmitting data to said device in the preferred device format.

15. (Previously presented) The method of claim 14, wherein the step of utilizing comprises the steps of:

extracting the requested excerpted EPG information by the XSLT engine from the XML data repository; and

Amendment After Final Rejection  
Serial No. 10/028,381

Docket No. US010662

formatting the excerpted EPG information in accordance with said device format preference.

16. (canceled)

17. (Previously presented) The system of claim 20, wherein the data repository extracts the specific information of the request, formats the specific information in accordance with said data format preference, and transmits the specific information over the communication network to the device.

18. (Previously presented) The system according to claim 20, wherein the data repository is an extensible Markup Language (XML) data repository, which includes an XML database in connection with an Extensible Stylesheet Language Transformation (XSLT) engine, and the request for specific information and the device format preference are in an Extensible Stylesheet Language (XSL) stylesheet.

19. (Previously presented) The system according to claim 20, wherein the network is an In-Home Digital Network (IHDN).

20. (Previously presented) A system for using a format preferred for a device, the system comprising:

a network that includes a data repository;

said device, connected to the network and having a data format preference; and

Amendment After Final Rejection  
Serial No. 10/028,381

Docket No. US010662

a data packet containing a request for specific information, said data packet including said data format preference, wherein said data packet is prepared by the device and transmitted over the network to said data repository,

said network being configured for using said data format preference in preparing the specific information for transmission to said device, said data format preference stored by said data repository, wherein the specific information requested is electronic programming guide information.